



XT Series

Retail counter service scales





XT Series

At a Glance Specifications

General Description

The XT Series provides a complete set of scales and printers, covering the different requirements of fresh food counters, self-service, pre-pack areas and point-of-sale areas for supermarkets and speciality stores. The scales may be used in stand-alone mode or networked together to form departmental systems. In addition, the different departments can be networked together and connected to a back-office computer to form store-wide or centrally-managed networks. The scales can operate in a number of different modes, printing individual labels for each item or combining the shoppers' items together and printing a single receipt. Significantly, the scales are based on PC architecture, running Windows or Linux operating systems. This gives them full flexibility for integration of third-party devices and for running third-party software.

The XT series covers three ranges of products:



Having 7" colour display for the operator and a tactile numeric keyboard; Linux operating system



Having 10.2" display for the operator as standard; with the option of larger displays on XTi420 and XTi300; Linux operating system



Having 10.2" display for the operator as standard; with the option of larger displays on XTx420 and XTx300; Windows operating system



RMS (Scotland) Ltd.
Unit 006, Etrick Riverside
Dunsdale Road
Selkirk
TD7 5EB

0800 138 0050 | www.rmsspos.co.uk

Trusted and Accurate





XT Series

At a Glance Specifications



XTs100

- > Monobloc model
- > Ideal for where vertical space is limited
- > Cassette label/receipt printer in base
- > 15kg AVR capacity
Optional capacity: 6kg AVR

XTs200

- > Raised customer display model
- > Cassette label/receipt printer in base
- > 15kg AVR capacity

XTs400

- > Raised operator and customer displays
- > Maintain eye contact whilst serving customers
- > 7 inch or 10 inch customer display options
- > Reduced footprint model
- > Cassette label/receipt printer in base
- > 15kg AVR capacity

XTs420

- > Raised operator and customer displays
- > Maintain eye contact whilst serving customers
- > Reduced footprint model
- > Dual label/receipt printers: clamshell and cassette
- > 15kg AVR



XTs500

- > Hanging scale for wet areas
Ideal for fishmongers
- > Cassette label/receipt printer in base
- > 15kg AVR

XTs600

- > Non-weighing model
- > Ideal for bakery print use or as an EPOS terminal
- > Can be paired with an external platform scale or wrapper
- > Cassette label/receipt printer in base

XTs700

- > Complementary second printer
- > Print on larger labels for complete label flexibility
- > Ideal for pre-pack situations, counter mode or self-service use when paired with another scale
- > Cassette label/receipt printer in base

RMS (Scotland) Ltd.
Unit 006, Ettrick Riverside
Dunsdale Road
Selkirk
TD7 5EB



XT Series

At a Glance Specifications



XTi100

- > Monobloc model
- > 10 inch operator touchscreen and 7 inch customer-facing display
- > Ideal for where vertical space is limited
- > Cassette label/receipt printer in base
- > 15kg AVR capacity
- > Optional capacity: 6kg AVR, 30kg x 5g

XTi200

- > Raised customer display model
- > 10 inch operator touchscreen and 7 inch customer facing display
- > Cassette label/receipt printer in base
- > 15kg AVR capacity
- > Optional capacity: 30kg x 5g

XTi300

- > Self-service model
- > Large 18.5 inch touchscreen for easy self-service use
- > Cassette label/receipt printer in base
- > 15kg AVR capacity

XTi400

- > Raised operator and customer displays
- > Maintain eye contact whilst serving customers
- > 10 inch operator touchscreen
- > 7 inch or 10 inch customer display option
- > Reduced footprint model
- > Cassette label/receipt printer in base
- > 15kg AVR capacity



XTi420

- > Raised operator and customer displays
- > Maintain eye contact whilst serving customers
- > 10 inch or 13 inch operator touchscreen option
- > 10 inch customer-facing display
- > Reduced footprint model
- > Dual label/receipt printers: clamshell and cassette
- > 15kg AVR capacity



XTi600

- > Non-weighing model
- > Ideal for bakery print use or as an EPOS terminal
- > Can be paired with an external platform scale or wrapper
- > Cassette label/receipt printer in base



- > A number of XTi scales are also available with Windows embedded: XTx100/XTx101, XTx300, XTx420



RMS (Scotland) Ltd.
Unit 006, Ettrick Riverside
Dunsdale Road
Selkirk
TD7 5EB



XT Series

At a Glance Specifications

Dimensions	Feet locations (spacing w x d)	Approx. 270 x 217 / 230mm
	Mono	XTs/XTi/XTx100/101 408 x 466 x 156mm (w x d x h)
	Mono + tower	XTs/XTi/XTx200 408 x 493 x 528mm
	Self-Service	XTi/XTx300 408 x 410 x 610mm
	Two-piece - base printer	XTs/XTi400 408 x 405 x 528mm
	Two-piece - dual printer	XTs/XTi/XTx420 408 x 478 x 502mm
	Hanging	XTs500 408 x 312 x 775mm (inc. scoop fitting)
	Non-weigh ECR/pre-pack printer	XTs/XTi600 268 x 325 x 364mm
	Non-weigh pre-pack printer	XTs700 268 x 325 x 176mm
	Metrology	Standard capacities
Options		6kg AVR, 30kg x 5g, 50lb x 0.01lb
Out-of-level compensation		Yes - ValuMax© (not available on XTs500/XTs600/XTi600)
Protected metrology unit (service electronics without need to re-stamp/break seals)		Yes
Power	Power supply - rating & type	100-240VAc, 50/60 Hz, Internal
Technology base	Processor	Intel Atom, 1.46GHz
	System memory	Up to 8GB (2GB default)
	Solid State Disk	8GB (Linux OS) 32GB mSATA (Windows OS)
Networking: inter-scale	Inter-scale network	Ethernet, 10/100/1gb base-T auto switch
	Number of scales per network	Limited by system performance only
Networking	Networking host I/f	Ethernet as standard
	Number of host networks/servers	Unlimited
RF Comms	RF: inter-scale and host	Optional: external USB WiFi device - 802.11b/g/n
Displays	Operator display	Options of: 7" active colour WVGA TFT: 800 x 480; 10.2" colour TFT SVGA 1024 x 600; 13.3" colour TFT SVGA 1024 x 600; mounted on tiltable fixture XTi/XTx300 only: 18.5" colour TFT SVGA 1024 x 600
	Customer display	Options of: 7" active colour WVGA TFT: 800 x 480; 10.2" colour TFT SVGA 1024 x 600; (Not available on XTi100 or XTx100/101)



XT Series

At a Glance Specifications

Interfaces		5 x USB interfaces (number that are external is dependent on machine variant)
USB memory device support		Yes
Sound		Full sound system with speaker
Keyboard	Keyboard type	7" touch with 20 additional programmable keys and tactile numeric keypad. Resistive 5-wire touch screen (dimensions dependent on screen size)
Label / receipt printer (Integrated within the scale or as XTs/XTi600 / XTs700)	Cassette	Yes, single action
	Label/receipt roll diameter	120mm
	Max print width	70mm
	Edge-to-edge printing @ max print width	Yes
	Backwind	Yes
	Max paper width	72mm
	Maximum print length	300mm
	Print speed	150mm/s
Label / receipt printer general	User-replaceable print head	Yes
	Easy-to-load graphics on labels save on pre-printing	Yes
	High-resolution grey-scale printing	Automatic grey-scale printing from any black and white or colour graphic
	Print-head monitoring/warning	Yes - 'Codechecker' – this extends usable printhead life and printing of scannable barcodes.
Raised printer (XTs/XTi/XTx420)	Roll diameter	100mm
	Max print width	56mm
	Max paper width	60mm
	Print Speed	100mm/s
	Linerless adhesive paper	Yes, standard
	Drop-in paper loading	Yes
Modes	Label	Yes
	Receipt	Yes
	ECR	Yes. full
	Pre-pack	Yes



XT Series

Kits / accessories

The following kits are available for XT scales

The following kits are field fit options by a qualified technician:

- > XT WiFi kit with WiFi device
- > XT WiFi kit without device – cover and fixings only
- > XT spare printer cassette
- > XTs 700 mounting kit

The following accessories are available for XT scales and can be fitted / installed by a customer:

- > USB cash drawer converter
- > Low profile stainless steel cash-drawer
- > Economy black cash drawer
- > MS9520 Metrologic Voyager USB Hand Scanner
- > MS7120 Metrologic Orbit Presentation Scanner

Shipping Specification www.rmsspos.co.uk

XTs100, XTi100, XTx100/101

Net: 10.2 kg.
Gross: 12 kg.

Measurement:
510 mm x 500 mm x 320 mm

Number of Packages: One

XTs200, XTi200

Net: 11.5 kg.
Gross: 14 kg.

Measurement:
510 mm x 570 mm x 400 mm

Number of Packages: One

XTi300, XTx300

Net: 14.5 kg.
Gross: 17 kg.

Measurement:
800 mm x 800 mm x 500 mm

Number of Packages: One

XTs400, XTi400

Net: 11.5 kg.
Gross: 14 kg.

Measurement:
510 mm x 510 mm x 390 mm

Number of Packages: One

XTs420, XTi420, XTx420

Net: 13 kg.
Gross: 15.5kg.

Measurement:
510 mm x 500 mm x 500 mm

Number of Packages: One

XTs500

Net: 10 kg.
Gross: 12kg.

Measurement:
510 mm x 510 mm x 390 mm

Number of Packages: One

XTs, XTi600

Net: 8 kg.
Gross: 9.4kg.

Measurement:
440 mm x 380 mm x 490 mm

Number of Packages: One

XTs700

Net: 6.6 kg.
Gross: 8kg.

Measurement:
440 mm x 380 mm x 390 mm

Number of Packages: One